

जीव विज्ञान प्रतिष्ठान INSTITUTE OF LIFE SCIENCES

317

Dated: 06.05,2015.

(An Autonomous Institute of the Department of Biotechnology, Govt. of India)

NO. VIII-116 -MF/2014 -15/ 933/ ILS

Notice Inviting Tender

Sealed quotations are invited from eligible, approved and experienced Civil Contractors for the works "Providing and fixing aluminum partition with 2 no's of door and 250 mm thick brick wall along with finishing of Microscope room of old R&D building" at the Institute of Life Sciences, Nalco square, and Bhubaneswar. The quotation papers are available in the website of the Institute at www.tender.gov.in Interested Contractors may download the quotation papers, complete the same and send the same to the undersigned as so to reach the undersigned on or before 21 /05 / 2015, up to 3.00 PM. The quotations will be opened on the same day at 3.30 P.M. in presence of the intending bidders or their authorized representatives. Quotations received after due date & time will not be entertained. Institute is not responsible for any postal delay. Incomplete or conditional quotation is liable for rejection. The authority reserves the right to reject any or all the quotations without assigning ay reasons thereof.

Terms and conditions:

- 1. The work will be executed based on the specification as stated in the tender document.
- 2. The contactors who are interested to participate in the tender shall furnish Xerox copies of their Registration Nos. / Trade License No., Tin No. & pan card.
- 3. They must have successfully executed at least one similar work of single order value not less than Rs.50000/- for work during the last 3 years. Documentary proof (copy of W.O) must be submitted.
- 4. The work should be started immediately after issue of work order and should be completed within one month from the date of issue of work order. Otherwise, penalty @ 1% of tender value will be charged to the Contractor per week of delay.
- No extension of time will be allowed, if the above work is not completed within the stipulated time. ILS reserves the right to get it completed through any other source without sending any intimation to the contractor.
- 6. After completion of the work the Contractor shall clean the site and remove debris from the site to outside of ILS.
- 7. The Contractor shall abide by the laws of the land for payments to labourers etc.
- 8. The work shall be executed based on the design approved by ILS.
- 9. The payment shall be made as per the actual measurement of the work done confirming to specification and design.
- 10. Income Tax, Sales Tax, etc. shall be deducted from the payment to be made to the Contractor as per the existing law.
- 11. The court situated at Bhubaneswar shall have jurisdiction to decide any dispute or litigation, if arises in future beyond the above mentioned rules & regulations.

Copy to:

1) Notice board, ILS

2) Finance & Accounts Dept.

Administrative Officer

3) Mr. S.S.Mohanty, for publication in the website of www.ils.res.in./www.tender.gov.in

316

Name of the work: Providing and fixing aluminum partition with 2 no's of door and 250 mm thick brick wall along with finishing of Microscope room of old R&D building.

S	- confidence of teeting	Unit	Quantity	Rate	Total Amount
1		CUM	0.550		
2	12mm thick cement plaster. 1:6 (1 cement: 6 coarse sand)	SQM	6.50		
3	Providing and fixing aluminum work for doors, windows, ventilators and partitions with extruded built up standard tubular sections/ appropriate Z sections and other sections of approved make conforming to IS: 733 and IS: 1285, fixing with dash fasteners of required dia and size, including necessary filling up the gaps at junctions, i.e. at top, bottom and sides with required EPDM rubber/ neoprene gasket etc. Aluminum sections shall be smooth, rust free, straight, metered and jointed mechanically wherever required including cleat angle, Aluminum snap beading for glazing / paneling, C.P. brass / stainless steel screws, all complete as per architectural drawings and the directions of Engineer-in-charge. (Glazing, paneling and dash fasteners to be paid for separately): For fixed portion Anodised aluminum (anodised transparent or dyed to required shade according to IS: 1868, Minimum anodic coating of grade AC 15) Anodized aluminum (anodized transparent or dyed to required shade according to IS:1868, minimum anodic coating of grade AC15) For shutter of doors, windows and ventilators including providing and fixing hinges / pivots and making provision for fixing of fittings wherever required including the cost of PVC /neoprene gasket required (fitting shall be paid for separately)	Kg kg	98.00		
4	Providing and fixing glazing in aluminum door, window, ventilator shutter and partitions etc. with PVC / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge.(Cost of aluminum snap beading shall be in basic item): With float glass panes of 5.5 mm thickness.	Sqm	7.00		
5	Providing and fixing 12 mm thick prelaminated particle board flat pressed three layer or graded wood particle board conforming to IS: 12823 Grade I Type II, in paneling fixed in aluminum doors, windows shutters and partition frames with C.P. brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge. Pre-laminated particle board with decorative lamination on one side and balancing lamination on other side	sqm	14.00		

N. Nagar.

6	Providing and fixing bright finished brass 100mm mortice latch and lock with 6 levers and pair of levers handles with necessary screws etc. complete(best make of approved quality)		2
7	Providing and fixing IS :3564 marked aluminum extruded section body tubular type universal hydraulic door closer with double speed adjustment with necessary accessories and screws etc. complete.	Each	2
8	Providing and fixing bright finished aluminum tower bolts ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with nuts and screws etc. complete. 300 x 10 mm	Each	2
9	Providing and fixing ISI marked aluminum butt hinges marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws etc. complete. 125 x 75 x 4 mm	Each	6
10	Providing and fixing aluminum hanging floor door stopper ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws etc. complete. Twin rubber stopper	Each	2
11	Providing and fixing aluminum handles, ISI marked, anodised (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete: 125 mm	Each	4
12	Providing & applying white cement based wall care putty over plastered surface to prepare smooth surface.	SQM	45.00
13	Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface : Water thinnable cement primer	Sqm	85.00
14	Wall painting with acrylic emulsion paint of approved brand and manufacture to give an even shade: Two or more coats on new work.	Sqm	85.00

Total Amount

- (1) All charges shall include the cost of Labour, material, taxes and other incidentals. Nothing Extra (2) The control of the agreement rate.
- (2) The work should be executed as per CPWD / IS Specification.
- (3) The work will be done according to the direction of Engineer in charge.

N. Nayak.