



जीव विज्ञान संस्थान
INSTITUTE OF LIFE SCIENCES
(An Autonomous Institute of the Department of Biotechnology, Govt. of India)

NO. VIII-121-MF/2015-16/ 2283/ ILS

Dated: 16 .08.2015

Notice Inviting Tender

Sealed quotations are invited from eligible, approved and experienced Civil Contractors for the works **"Providing and fixing aluminum partition with 1 no's of doors, 250 mm thick brick wall to close the window and one no of wall mounted cup board in cell culture lab at 12-A of Dr. Santosh Chauhan in 2nd floor new R&D building"** at the Institute of Life Sciences, Nalco square, and Bhubaneswar. The quotation papers are available in the website of the Institute at www.ils.res.in./www.tender.gov.in Interested Contractors may download the quotation papers, complete the same and send the same to the undersigned as so to reach the undersigned on or before **29/10 / 2015**, **up to 3.00 PM**. The quotations will be opened on **the same day at 3.30 P.M.** in presence of the intending bidders or their authorized representatives. Quotations received after due date & time will not be entertained. Institute is not responsible for any postal delay. Incomplete or conditional quotation is liable for rejection. The authority reserves the right to reject any or all the quotations without assigning any reasons thereof.

Terms and conditions:

1. The work will be executed based on the specification as stated in the tender document.
2. The contractors who are interested to participate in the tender shall furnish Xerox copies of their Registration Nos. / Trade License No., Tin No. & pan card.
3. They must have successfully executed at least one similar work of single order value not less than Rs.30000/- for work during the last 3 years. Documentary proof (copy of W.O) must be submitted.
4. The work should be started immediately after issue of work order and should be completed within one month from the date of issue of work order. Otherwise, penalty @ 1% of tender value will be charged to the Contractor per week of delay.
5. No extension of time will be allowed, if the above work is not completed within the stipulated time. ILS reserves the right to get it completed through any other source without sending any intimation to the contractor.
6. After completion of the work the Contractor shall clean the site and remove debris from the site to outside of ILS.
7. The Contractor shall abide by the laws of the land for payments to labourers etc.
8. The work shall be executed based on the design approved by ILS.
9. The payment shall be made as per the actual measurement of the work done confirming to specification and design.
10. Income Tax, Sales Tax, etc. shall be deducted from the payment to be made to the Contractor as per the existing law.
11. The court situated at Bhubaneswar shall have jurisdiction to decide any dispute or litigation, if arises in future beyond the above mentioned rules & regulations.

Copy to:

- 1) Notice board, ILS
- 2) Finance & Accounts Dept.
- 3) Mr. S .S.Mohanty, for publication in the website of www.ils.res.in./www.tender.gov.in


Administrative Officer



Name of the work: Providing and fixing aluminum partition with 1 no's of doors, 250 mm thick brick wall to close the window and one no of wall mounted cup board in cell culture lab at 12-A of Dr. Santosh Chauhan in 2nd floor new R&D building.

Sl no	Description Of Items	Unit	Quantity	Rate	Total Amount
1	Dismantling old plaster or skirting raking out joints and cleaning the surface for plaster including disposal of rubbish to the dumping ground within 50 meters lead.	Sqm	25.00		
2	Brick work with F.P.S bricks of class designations 75 in superstructure above plinth level up to floor V level in all shapes and sizes in. Cement mortar 1:6 (1 cement: 6 coarse sand)	CUM	1.30		
3	12mm thick cement plaster. 1:6 (1 cement: 6 coarse sand)	SQM	10.50		
4	Providing and fixing aluminum works for door, windows, ventilators and partition with extrude built up standard tubular section / appropriate z section and other section of approved make conforming to IS:733 and IS:1285, fixed with rawl plugs and screw or with fixing clips, or with expansion hold faster including necessary filling up of gaps at junctions, at top, bottom and sides with required PVC/ neoprene felt etc. aluminum section shall be smooth, rust free, straight, mitered and joined mechanically wherever required including cleat angle, aluminum snap beading for glazing/paneling C.P. brass / stainless steel screws all complete as per architectural drawings and the direction of engineer-in-charge	Kg	33.00		
	For fixed portion Anodized aluminum (anodized transparent or dyed to required shade according to IS:1868, minimum anodic coating of grade AC15)	Kg	11.00		
	Anodized aluminum (anodized transparent or dyed to required shade according to IS:1868, minimum anodic coating of grade AC15)				
	For shutter of doors, windows and ventilators including providing and fixing hinges / pivots and making provision for fixing of fittings wherever required including the cost of PVC /neoprene gasket required (fitting shall be paid for separately)				

5	Providing and fixing glazing in aluminum door , window , ventilator shutter and partitions etc. with PVC / neoprene gasket etc. complete as per the architectural drawings and the directions of engineer-in-charge.(Cost of aluminum snap beading shall be in basic item): With float glass panes of 5.5 mm thickness	SQM	4.5
6	Providing and fixing 12mm thick pre-laminated particle board flat pressed three layer or grade wood particle board conforming to IS 12823 Grade I type paneling fixed in aluminum door, windows shutters and partitions frames with C.P Brass / stainless steel screws etc. complete as per architectural drawings and directions of engineer-in-charge. Pre-laminated particle board with decorative lamination on both sides.	Sqm	12.00
7	Providing and fixing bright finished brass 100mm mortice latch and lock with 6 levers and pair of levers handles with necessary screws etc. complete(best make of approved quality)	Each	1
8	Providing and fixing IS :3564 marked aluminum extruded section body tubular type universal hydraulic door closer with double speed adjustment with necessary accessories and screws etc. complete.	Each	1
9	Providing and fixing bright finished aluminum tower bolts ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with nuts and screws etc. complete. 300 x 10 mm	Each	3
10	Providing and fixing ISI marked aluminum butt hinges marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws etc. complete. 125 x 75 x 4 mm	Each	12
11	Providing and fixing aluminum hanging floor door stopper ISI marked anodized (anodic coating not less than grade AC 10 as per IS: 1868) transparent or dyed to required colour or shade with necessary screws etc. complete. Twin rubber stopper	Each	1

27

12	Providing and fixing aluminum handles, ISI marked, anodized (anodic coating not less than grade AC 10 as per IS : 1868) transparent or dyed to required colour or shade, with necessary screws etc. complete : 125 mm	Each	6
13	Providing & applying white cement based wall care putty over plastered surface to prepare smooth surface.	SQM	10.00
14	Applying one coat of water thin able cement primer of approved brand and manufacture on wall surface : Water thin able cement primer	sqm	10.00
15	Wall painting with plastic emulsion paint of approved brand manufacture to give an even shade. One or more coats on old work	SQM	60.00
16	Providing & Fixing decorative high pressure laminated sheet of plain / wood grain in gloss / matt / suede finish with high density protective Surface layer and reverse side of adhesive bonding quality conforming to IS : 2046 Type S, including cost of adhesive of approved quality. 1.0 mm thick	cum	2.00
17	Applying priming coat : With ready mixed pink or Grey primer of approved brand and manufacture on wood work (hard and soft wood)	Sqm	7.00
18	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade : Two or more coats on new work	Sqm	7.00
19	Providing and fixing 2nd class teak wood lipping / moulded beading or taj beading of size 18X5 mm fixed with wooden adhesive of approved quality and screws/ nails on the edges of the Pre-laminated particle board as per direction of Engineer-in-charge.	meter	18.00
20	Providing and fixing 19mm thick block board of best quality for cupboard with all necessary screws etc. complete as per direction of Engineer-in-charge.	Sqm	3.5

Total Amount