## **Notice Inviting Tender**

Sealed quotations are invited from eligible, approved and experienced Civil Contractors for the works "Structural work required to strengthen the existing Library building. "at the Institute of Life Sciences, Nalco square, and Bhubaneswar. The quotation papers are available in the website of the Institute at www.ils.res.in./www.tender.gov.in Interested Contractors may download the quotation papers, complete the same and send the same to the undersigned as so to reach the undersigned on or before 13 /06/ 2016, up to 3.00 PM. The quotations will be opened on the same day at 3.30 P.M. in presence of the intending bidders or their authorized representatives. Quotations received after due date & time will not be entertained. Institute is not responsible for any postal delay. Incomplete or conditional quotation is liable for rejection. The authority reserves the right to reject any or all the quotations without assigning ay reasons thereof.

## **Terms and conditions:**

- 1. The work will be executed based on the specification as stated in the tender document.
- The contactors who are interested to participate in the tender shall furnish Xerox copies of their Registration Nos. / Trade License No., Tin No. & pan card.
- 3. They must have successfully executed at least one building renovation / repair work of single order value not less than Rs.175 000/- for work during the last 3 years. Documentary proof (copy of W.0) must be submitted.
- 4. The work should be started immediately after issue of work order and should be completed within one month from the date of issue of work order. Otherwise, penalty @ 1% of tender value will be charged to the Contractor per week of delay.
- No extension of time will be allowed, if the above work is not completed within the stipulated time. ILS reserves the right to get it completed through any other source without sending any intimation to the contractor.
- 6. After completion of the work the Contractor shall clean the site and remove debris from the site to outside of ILS.
- 7. The Contractor shall abide by the laws of the land for payments to labourers etc.
- The work shall be executed based on the design approved by ILS.
- The payment shall be made as per the actual measurement of the work done confirming to specification and design.
- 10. Income Tax, Sales Tax, etc. shall be deducted from the payment to be made to the Contractor as per the
- 11. The court situated at Bhubaneswar shall have jurisdiction to decide any dispute or litigation, if arises in future beyond the above mentioned rules & regulations.

Copy to:

1) Notice board, ILS

**Administrative Officer** 

- 2) Finance & Accounts Dept.
- 3) Mr. S.S.Mohanty, for publication in the website of www.ils.res.in./www.tender.gov.in

## Name of the Work: Structural work required to strengthen the existing Library building.

## **SCHEDULE OF QUANTITIES**

Sl	Description Of Items	Unit	Quantity	Rate	Total
no				(In words)	Amount
1	Demolishing cement concrete manually/ by mechanical	Cum	3.00		
	means including disposal of material within 50 meters				
	lead as per direction of Engineer - in - charge. Nominal				
	concrete 1:3:6 or richer mix (i/c equivalent design mix)				
2	Earth work in excavation by mechanical means	Cum	12.00		
	(Hydraulic excavator) / manual means over areas				
	(exceeding 30cm in depth. 1.5 m in width as well as 10				
	sqm on plan) including disposal of excavated earth, lead				

		1	ı	
	up to 50m and lift up to 1.5m, disposed earth to be levelled and neatly dressed. All kinds of soil			
3	Carriage charges for disposal of excavated earth from site to 5km outside.	Cum	12.00	
4	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :1:4:8 (1 Cement : 4 coarse sand : 8 graded stone aggregate 40 mm nominal size)	Cum	1.00	
5	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level :1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	Cum	1.50	
6	Providing and laying in position specified grade of reinforced cement concrete, excluding the cost of centering, shuttering, finishing and reinforcement - All work up to plinth level:  1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	Cum.	5.00	
7	Centering and shuttering including strutting, propping etc. and removal of form for : Foundations, footings, bases of columns, etc. for mass concrete	Sqm	30.00	
8	Steel reinforcement for R.C.C. work including straightening, cutting, bending, placing in position and binding all complete up to plinth level. <b>Cold twisted bars</b>	Kg	215.00	
9	Centering and shuttering including strutting, propping etc. and removal of form for : Suspended floors, roofs, landings, beams and access platform .	Sqm	20.00	
10	Structural steel work riveted, bolted or welded in built up sections, trusses and framed work, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete. ( all work in ISMB steel section )	Kg	1820.00	
11	Brick work with common burnt clay F.P.S. (non-modular) bricks of class designation 7.5 in superstructure above plinth level up to floor V level in all shapes and sizes in : Cement mortar 1:4 (1 cement : 4 coarse sand)	Cum	3.5	
12	Providing and fixing wash basin with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require: White Vitreous China Wash basin size 550x400 mm with a pair of 15 mm C.P. brass pillar taps	Each	1	
13	Raking out joints in lime or cement mortar and preparing the surface for re-pointing or re-plastering, including disposal of rubbish to the dumping ground within 50 meters lead.	Sqm	120.00	
14	Grading roof for water proofing treatment with Cement concrete 1:2:4 (1 cement : 2 coarse sand : 4 graded stone aggregate 20 mm nominal size)	Cum	5.50	
	Total Amount			

(Rupees	only)
(Total eight items only)	
No. of Corrections:	
No. of Over writings:	
	Signature of tenderer
	With date & address.