

## INSTITUTE OF LIFE SCIENCES

(An autonomous Institute of the Department of Biotechnology, Govt. of India)
Nalco Square, Bhubaneswar-751 023
Website: <a href="https://www.ils.res.in">www.ils.res.in</a>

NIT No- VIII/191 /MF/2022-23 / 205 /ILS

Dt. 24-01-2023

### **E-TENDER DOCUMENT**

Name of work: Renovation of small room for toilet of store section & MS grill fencing around 33

KVA DP structure near main gate of campus-I

Total Estimated Cost: Rs. 186216.00

Administrative Officer For and on behalf of Director, ILS.

Total Pages 16

INDEX

SI. No. Deta	ils	 Page			
			From		То
01. 02.	Cover page Index		01 02	-	01 02
PART-A.					
03. 04.	Information and Instructions to bidders for e-tendering Terms and Conditions for online		03	-	04
04.	Submission.		04	-	06
05.	E-Tendering Instructions to bidders		06	-	09
08.	Price Bid		13	-	16

The D.N.I.T. contains 16 (Sixteen) pages only.

The Director, Institute Of Life Sciences, Bhubaneswar invites e-tenders from established civil agencies / contractors of appropriate class of Public Works Organizations like CPWD, DOP, MES, Railways and State PWD (R&B) of Odisha for the following work.

S. No.	Description	Details
i)	NIT No.	VIII/191 /MF/2022-23 /205 /ILS Dt. 24-01-2023
ii)	Name of Work:	Renovation of small room for toilet of store section &
		MS grill fencing around 33 KVA DP structure near main
		gate of campus-I
iii)	Estimated Cost	Rs. 1,86,216.00
v)	Period of Completion	01 month (30 Days)
vi)	Last date and time of online submission	15.00 hours on 09/02/2023
	of tender	
vii)	Time and date of online opening of	15.30 hours on 09/02 /2023
	Documents	
viii)	Time and date of opening of Online	To be intimated latter
	Financial Bids	
ix)	Period during which hard copies of	To be submitted during office on or Before the online
	EMD, Registration Certificates,	submission of tender. (i.e 10.10.2022 at 15:00)
	Undertaking and other Documents to be	
	submitted to Division office	
X)	Validity of tender	Three months w.e.f date of NIT

- 1. The intending bidder must read the terms and conditions of Tender document carefully. He should submit his bid if he considers himself eligible and he is in possession of all the certificates/ documents required.
  - 2. Information and Instructions for bidders for e-tendering posted on website shall form part of bid document.
  - 3. The bid document consisting of NIT, plans, specifications, the schedule of quantities of various types of items to be executed and the set of terms and conditions of the contract to be complied with and other necessary documents can be seen and downloaded from http:// www.tenderwizard .com/ILS or www.ils.res.in Or www.eprocure.gov.in at free of cost.
- 4. For e-tendering of this tender, ILS has engaged e-portal maintained by M/s ITI Limited, Bhubaneswar. Intending bidders shall have to register with M/s ITI Limited, Bhubaneswar to participate in the tendering process. For details kindly visit website <a href="http://www.tenderwizard.com/ILS">http://www.tenderwizard.com/ILS</a> or contact Shri SANJIB MOHAPATRA (Mobile No. 9937488749 or 7377708585). If needed they can be imparted training on online bidding process as per details available on the website.
- 5. The intending bidders must have valid class-III digital signature to submit the bid.
- 6. The bid can be submitted only after depositing e-tender Processing Fee (Online through e-Payment) in favour of ITI Limited within the period of bid submission. E-tender processing fee is non-refundable.
- 7. Copies of eligibility documents and EMD as specified in the notice inviting tender shall be scanned and uploaded on the e-tendering website within the period of tender submission. Bidders can upload documents in the form of JPG format, PDF format and any other format as permissible by the e-tendering portal.
- 8. Bidders must ensure to quote rate of each item. The column meant for quoting rate in figures appears in dark yellow colour and the moment rate is entered, it turns sky blue. In addition to this, while selecting any of the cells a warning appears that if any cell is left blank the same shall be treated as "0". Therefore, if

- any cell is left blank and no rate is quoted by the bidder, rate of such item shall be treated as "0" (ZERO). After submission of the bid online the contractor can re-submit revised bid any number of times but before last time and date of submission of bid as notified.
- 9. After submission of bid online, it can be revised any number of times before specified time on last date of submission of bid. While submitting the revised bid, bidder can revise the rate of one or more item(s) any number of times (he need not re-enter rate of all the items) but before last time and date of submission of bid as notified.
- 10. Financial bids shall be opened online only for bidders for whom EMD and other documents are found in order and who are found to be eligible to bid for work. On opening date, the bidder can login and see the bid opening process. After opening of bids he will receive the competitor bid sheets.
- 11. If the contractor is found ineligible after opening of bids, his bid shall become invalid.
- 12. If any discrepancy is noticed between the eligibility documents as uploaded at the time of submission of bid and hard copies as submitted physically by the bidder, the bid shall become invalid and.

List of eligibility Documents to be scanned and uploaded online within the period of bid submission:

- a) The contactors who are interested to participate in the tender shall furnish Scan copies of their Registration Nos. / Trade License No., GST No. & pan card.
- b) The Bidders are required to deposit the EMD Undertaking.
- c) The Bidders are required to deposit the Original EMD Undertaking.
- c) Two (02) similar (Civil) works each of value not less than 60% (i.e. for Rs. 1,11,730/-) of estimated cost put to tender or one (01) similar (Civil) work of value not less than 80% (i.e. for Rs. 1,48,973/-) of estimated cost put to tender in *last 03 (Three) Years*. The contractors are required to give details of such work in standard Performa enclosed at annexure II. Similar work means" All type of civil repair & renovation works".
- d) Scan Copies of partnership deed in case of partnership firms/ memorandum of articles of association and power of attorney or authorization to the person who signs the tender in case of companies,

List of eligibility Documents to be Submitted Offline within the period of bid submission in a Envelope:

- a) The contactors who are interested to participate in the tender shall furnish Xerox copies of their Registration Nos. / Trade License No., GST No. & pan card.
- b) The Bidders are required to deposit the Original EMD Undertaking
- c) The Bidders are required to deposit the Original EMD Undertaking.
- c) Two (02) similar (Civil) works each of value not less than 60% (i.e. for Rs. 1,11,730/-) of estimated cost put to tender or one (01) similar (Civil) work of value not less than 80% (i.e. for Rs. 1,48,973/-) of estimated cost put to tender in *last 03 (Three) Years*. The contractors are required to give details of such work in standard Performa enclosed at annexure II. Similar work means" All type of civil repair & renovation works".
- d) Copies of partnership deed in case of partnership firms/ memorandum of articles of association and power of attorney or authorization to the person who signs the tender in case of companies,

All the above offline document must be received in sealed envelope & must be either delivered by hand or posted at the following address so as to reach not later than the last date/time specified in the NIT to DIRECTOR INSTITUTE OF LIFE SCIENCES, NALCO SQUARE, BHUBANESWAR-23. The name and mailing address of the

Applicant (bidder) shall be clearly marked on the envelopes. Bids received late i.e. after the due date and timing for receipt of bids shall not be accepted/considered for evaluation and such bids shall be returned unopened.

Terms & Conditions:

The tender shall be submitted in Two Bid systems.

- (i) Technical Bid: All required documents submitted to be online.
- (ii) Financial Bid: The Financial Bid of bidders, who qualify at Technical Bid Evaluation, will be opened thereafter.
- (iii) Manual Submission of Following Documents:

The following documents are to be sent to DIRECTOR, INSTITUTE OF LIFE SCIENCE, NALCO SQUARE, BHUBANESWAR, 751023, separately in a sealed envelope superscripted as: e-Tender for (Name of Work) The sealed enveloped should reached on or before last date & time submission of e-Tender. i.e before the due date of submission of online bidding.

- a) The contactors who are interested to participate in the tender shall furnish Xerox copies of their Registration Nos. / Trade License No., GST No. & pan card.
- b) The Bidders are required to deposit the Original EMD Undertaking.
- c) Two (02) similar (Civil) works each of value not less than 60% (i.e. for Rs. 1,11,730/-) of estimated cost put to tender or one (01) similar (Civil) work of value not less than 80% (i.e. for Rs. 1,48,973/-) of estimated cost put to tender in *last 03 (Three) Years*. The contractors are required to give details of such work in standard Performa enclosed at annexure II. Similar work means" All type of civil repair & renovation works".
- d) Copies of partnership deed in case of partnership firms/ memorandum of articles of association and power of attorney or authorization to the person who signs the tender in case of companies,

#### A. EARNEST MONEY DEPOSIT (EMD)

A.1 - The Bidders are required to deposit the EMD Undertaking.

Work in following forms only.

A.2 - EMD in any other form shall not be accepted.

A.3 - ILS shall summarily reject any bid not accompanied by the EMD as mentioned above.

#### B. VALIDITY OF BID

- B.1 Bids shall remain valid and open for acceptance for a period of 15 (fifteen) days from the date of opening of Technical Bid. Should the bidder fail to keep the bid open for acceptance as stated above or if the bidder withdraws his bid before the expiry of the said period or makes any modification in terms and conditions of the bid which are not acceptable then ILS without prejudice to any other right or remedy shall be at liberty to forfeit his 50% EMD absolutely.
- B.2 In exceptional circumstances, prior to expiry of the original validity period, ILS may request the bidders for an extension in the period of validity by no of days as may be required. The request and the responses thereto shall be made in writing or by cable or fax. A bidder may refuse the request without forfeiting his EMD. A bidder agreeing to the request will neither be required nor be permitted to modify his bid but will be required to extend the validity of his EMD correspondingly.

### C. SUBMISSION AND OPENING OF BIDS:-

Tender should open & submitted through Online only in the web portal <a href="https://www.tenderwizard.com/ILS">www.tenderwizard.com/ILS</a>

#### D. Terms and conditions: -

- a). The successful bidder will have to provide a security deposit @5 % of contract value to ILS.. The security deposit shall be deposited at the time of receiving work order. The security deposit shall be released on vendors request after completion of warranty period i.e 6 months with effect from completion date without any bank interest.
- b) The work will be executed based on the specification as stated in the tender document.
- c) The contactors who are interested to participate in the tender shall furnish Xerox copies of their Registration Nos. / Trade License No., GST No. & pan card.
- d) The work should be started immediately after issue of work order and should be completed within 30 days from the date of issue of work order. Otherwise, penalty @ 1% of tender value will be charged to the Contractor per week of delay.
- e) No extension of time will be allowed, if the above work is not completed within the stipulated time. ILS reserves the right to get it completed through any other source without sending any intimation to the contractor.
- f) After completion of the work the Contractor shall clean the site and remove debris from the site to outside of ILS.
- g) The Contractor shall abide by the laws of the land for payments to labourers etc.
- h) The payment shall be made after successful completion of the work as per the actual measurement of the work done confirming to specification and design, drawing etc. as per NIT term & condition.
- i) Income Tax, Sales Tax, etc. shall be deducted from the payment to be made to the Contractor as per the existing law.
- j) In case of extra items (not provide in BOQ), same item will be paid as per DSR considered for the NIT.
- k) The court situated at Bhubaneswar shall have jurisdiction to decide any dispute or litigation, if arises in future beyond the above mentioned rules & regulations

## E-TENDERING INSTRUCTIONS TO BIDDERS

## General:

The Special Instructions (for e-Tendering) supplement 'Instruction to Bidders', as given in this Tender Document. Submission of Online Bids is mandatory for this Tender. E-Tendering is a new methodology for conducting Public Procurement in a transparent and secured manner. Suppliers / Vendors will be the biggest beneficiaries of this new system of procurement. For conducting electronic tendering, ILS BHUBANESWAR has decided to use the portal www.tenderwizard.com/ILS through an ASP, M/s. ITI Ltd., Bhubaneswar.

#### Instructions:

1. Tender Bidding Methodology:

Two Stage Online Bidding

- 2. Broad outline of activities from Bidders prospective:
- 1. Procure a Class III Digital Signature Certificate (DSC)
- 2. Register on the e-Procurement portal www.tenderwizard.com/ILS
- 3. Create Users on the above portal

- 4. View Notice Inviting Tender (NIT) on the above portal
- 5. Download Official Copy of Tender Documents from the above portal
- 6. Seek Clarification to Tender Documents on the above portal. View response to queries of bidders, posted as addendum, by ILS
- 7. Bid-Submission on the above portal.
- 8. Attend Public Online Tender Opening Event (TOE) on the above portal Opening of Technical Part
- 9. Post-TOE Clarification on the above portal (Optional) Respond to ILS's Post-TOE queries.
- 10. Attend Public Online Tender Opening Event (TOE) on the above portal Opening of Financial Part (Only for Technical Responsive Bidders)

For participating in this tender online, the following instructions are to be read carefully. These instructions are supplemented with more detailed guidelines on the relevant screens of the above portal.

### 3. Digital Certificates:

For integrity of data and authenticity / non-repudiation of electronic records, and to be complaint with IT Act 2000, it is necessary for each user to have a Digital Certificate (DC), also referred to as Digital Signature Certificate (DSC), of Class III, issued by a Certifying Authority (CA) licensed by Controller of Certifying Authorities (CCA) [refer http://www.cca.gov.in].

## 4. Registration:

To use the Electronic Tender portal www.tenderwizard.com/ILS, vendors need to register on the portal. Registration of each organization is to be done by one of its senior persons vis-à-vis Authorised Signatory who will be the main person coordinating for the e-tendering activities. In the above portal terminology, this person will be referred to as the Super User (SU) of that organization. For further details, please visit the website/portal, and follow further instructions as given on the site. Pay Annual Registration Fee as applicable. (Rs 2000+ GST as applicable)

Note: After successful submission of Registration details and Annual Registration Fee, please contact to the Helpdesk of the portal to get your registration accepted/activated.

- 1. The Bidder must ensure that after following above, the status of bid submission must become "Submitted".
- 2. Please take due care while scanning the documents so that the size of documents to be uploaded remains minimum. If required, documents may be scanned at lower resolutions say at 150 dpi. However it shall be sole responsibility of bidder that the uploaded documents remain legible.
- 3. It is advised that all the documents to be submitted are kept scanned or converted to PDF format in a separate folder on your computer before starting online submission.
- 4. The Financial part/BOQ may be downloaded and rates may be filled appropriately. This file may also be saved in a folder on your computer. Please don't change the file names & total size of documents (Preferably below 5 MB per document) may be checked.

Bid submission

The entire bid-submission would be online on the Tender wizard portal i.e. https://www.tenderwizard.com/ILS

Broad outline of submissions are as follows:

- (i) Submission of Bid Parts (Technical & Financial)
- (ii) Submission of information pertaining to Bid Security/ EMD.
- (iii) Submission of signed copy of Tender Documents/Addendums.

The TECHNICAL PART shall consist of Electronic Form of Technical Main Bid and Bid Annexure. Scanned/Electronic copies of the various documents to be submitted under the Eligibility Conditions, offline submissions, instructions to bidders and documents required establishing compliance to Technical Specifications and Other Terms & Conditions of the tender are to be uploaded.

The FINANCIAL PART shall consist of Electronic Form of Financial Main Bid and Financial Bid Annexure, if any. Scanned copy of duly filled price schedule (Section VII) for both packages are to be uploaded. If required, additional documents in support of taxes, quoted duties etc. may also be uploaded. Tender Processing Fee:-

You pay processing fee (0.1% of ECV + GST as applicable (Min. 500/- & Max 5000/- + GST as applicable)) through online (Credit card/ Debit card/ Net Banking), when participating in the e-tender. Offline Submissions:

The bidder is requested to submit the as above mentioned documents offline DIRECTOR, INSTITUTE OF LIFE SCIENCE, NALCO SQUARE, BHUBANESWAR, 751023 on or before the date & time of submission of bids specified in covering letter of this tender document, in a Sealed Envelope. The envelope shall bear (name of the work), the tender number and the words 'DO NOT OPEN BEFORE' (due date & time). Public Online Tender Opening Event (TOE)

The e-Procurement portal offers a unique facility for 'Public Online Tender Opening Event (TOE). Tender Opening Officers as well as authorized representatives of bidders can attend the Public Online Tender Opening Event (TOE) from the comfort of their offices. For this purpose, representatives of bidders (i.e. Supplier organization) duly authorized. Every legal requirement for a transparent and secure 'Public Online Tender Opening Event (TOE)' has been implemented on the portal. As soon as a Bid is decrypted, the salient points of the Bids are simultaneously made available for downloading by all participating bidders. The medium of taking notes during a manual 'Tender Opening Event' is therefore replaced with this superior and convenient form of 'Public Online Tender Opening Event (TOE)'. The portal a unique facility of 'Online Comparison Statement' which is dynamically updated as each online bid is opened. The format of the Statement is based on inputs provided by the Buyer for each Tender. The information in the Comparison Statement is based on the data submitted by the Bidders. A detailed Technical and / or Financial Comparison Statement enhance Transparency. Detailed instructions are given on relevant screens. The portal has a unique facility of a detailed report titled 'Online Tender Opening Event (TOE)' covering all important activities of 'Online Tender Opening Event (TOE)'. This is available to all participating bidders for 'Viewing/Downloading'. There are many more facilities and features on the portal. For a particular tender, the screens viewed by a Supplier will depend upon the options selected by the concerned Buyer.

Important Note: In case of internet related problem at a bidder's end, especially during 'critical events' such as – a short period before bid-submission deadline, during online public tender opening event it is the bidder's responsibility to have backup internet connections. In case there is a problem at the e-procurement / e-auction service-provider's end (in the server, leased line, etc) due to which all the bidders face a problem during critical events, and this is brought to the notice of ILS by the bidders in time, then ILS will promptly reschedule the affected event(s).

#### Other Instructions

For further instructions, the vendor should visit the home-page of the portal. The complete help manual is available in the portal for Users intending to Register / First-Time Users, Logged-in users of Supplier organizations. Various links are also provided in the home page.

Important Note: It is strongly recommended that all authorized users of Supplier organizations should thoroughly peruse the information provided under the relevant links, and take appropriate action. This will prevent hiccups and minimize teething problems during the use of the said portal.

The following 'FOUR KEY INSTRUCTIONS for BIDDERS' must be assiduously adhered to:

- 1. Obtain individual Digital Signature Certificate (DSC) well in advance of your first tender submission deadline on the portal.
- 2. Register your organization on the portal well in advance of your first tender submission deadline on the portal

- 3. Get your organization's concerned executives trained on the portal well in advance of your first tender submission deadline on the portal
- 4. Submit your bids well in advance of tender submission deadline on the portal (There could be last minute problems due to internet timeout, breakdown etc.)

While the first three instructions mentioned above are especially relevant to first-time users on the portal, the fourth instruction is relevant at all times. Minimum Requirements at Bidders end Computer System with good configuration (Min P IV, 1 GB RAM, Windows 7) Broadband connectivity. Microsoft Internet Explorer 8.0 or above. Digital Certificate(s) Vendors Training Program Necessary training to each and every registered bidder under this portal shall be impacted by the ASP, M/s. ITI, Bhubaneswar, if required, before participation in the online tendering.

For any further assistance, please contact Mr Sanjeeb Mahapatra (07377708585), Helpdesk-080-45811365/080-40482000 ITI email ID for mailing communication: <a href="mailto:twhelpdesk404@gmail.com/">twhelpdesk404@gmail.com/</a> twhelpdesk605@gmail.com

.

## FORM OF AGREEMENT

(To be executed on non-judicial stamp paper of Rs.100/-) Agreement No  Dated
THIS AGREEMENT is made on day of (month), (year) between ILS., AN AUTONOMOUS INSTITUTE OF THE DEPARTMENT OF BIOTECHNOLOGY, GOVT. OF INDIA hereinafter called ILS, (which expression shall, wherever the context so demands or requires, includes their successors in office and assigns) on the one part and M/s hereinafter called the Contractor (which expression shall wherever the context so demands or requires, include his/their successors and assigns) on the other part. WHEREAS the ILS is desirous that certain works should be executed viz. (brief description of the work)
Now THIS AGREEMENT WITNESSETH as follows:
1. In this agreement, words and expressions shall have the same meaning as are respectively assigned to
them in the conditions of contract hereinafter referred to.
2. The following documents in conjunction with Addendum/ Corrigendum to Bid Documents shall be
deemed to form and be read and construed as part of the agreement viz:
a. This Form of Agreement
b. The Letter of Award dated
c. Priced Schedule (Bill) of Quantities
d. Notice Inviting Tender and Instructions to bidders-
<ul><li>3. The aforesaid documents shall be taken as complementary and mutually explanatory of one another, but in the case of ambiguities or discrepancies, shall take precedence in the order set out above.</li><li>4. The ILS hereby covenants to pay to the contractor in consideration of the execution , completion of work at contract price at the time and in the manner prescribed by the contract.</li></ul>
In WITNESS whereof the parties hereto have caused their respective common seals to be here into affixed (or have herewith set their respective hands and seals) the day and year first above written.  SIGNED, SEALED AND DELIVERED BY  M/S
In the capacity of in the capacity of
On behalf of Contractor On behalf of ILS
In the presence of in the presence of  1 1  2 2

List of similar works completed during last 5 years.

Sl	Clients	Name	Scope	Agreement	Contrac	t Value	Location	Date	Do	ate of	Ref to
no.	name	of the	of	/ Letter of	(Rs. In	lakh)		of	com	pletion	Suppor
	and	work.	work	Award No.				start			-ting
	address with										Docum
	contact										-ents
	number										submit
											-ted
											by bid
											-der
					Awarded	Actual			As	Actual	
									per		
									LOA		
1	2	3	4	5	6	7	8	9	10	11	12

Note-1: The bidder shall produce an attested copy of the referred completion certificate from the owner companies indicating name of work, description of work done by the bidder, date of start, date of completion(contractual & actual including extensions if any), value of material supplied free of cost by the client. When the owner company is private one, the certificate from the company must be supported by TDS certificate issued by the company. The bidder should be in position to produce original certificate if required.

Note-2: ILS reserves the right to cross checks the certificate(s) directly with the issuing authority /authorities/clients or any other firm/ party.

Note-3: Information must be furnished on only works carried out by the bidder in his firm's own name. Works carried out as a partner in joint venture shall not be included in this Performa.

Note-4: The bidder shall number the page of the documents submitted by him against Pre-qualification requirements/Criteria and such reference number of relevant completion certificate(s) against completed work(s) if any shall be indicated under Column.no.11 of above table.

Signature of Authorised	Representative of the bidder
Bidder's Stamp	

# Earnest Money Deposit Declaration Proforma

(Typed in the bidder letter head)

(MS grill fencing	(Name of agency) have submitted bids for (name of work) g around 33 kv DP structure near main gate of campus-I) I/We hereby submit following eu of submitting Earnest Money Deposit.
(1)	If after the opening of tender, I/We withdraw or modify my/our bid during the period of validity of tender(including extended validity of tender) specified in the tender documents,
	Or
(2)	If, after the award of work, I/We fail to sign the contract, or to submit performance guarantee before the deadline defined in the tender documents, I/We shall be suspended for one year and shall not be eligible to bid for ILS tenders from date of issue of suspension order.
	Signature of the contractor(s)

# Bill of Quantity

Name of the work: Renovation of small room for toilet of store section & MS grill fencing around 33 kv DP structure near main gate of campus-I

SI. No.	Description of items	Unit	Quantity	Rate	Amount
1	Earth work in excavation by mechanical means (Hydraulic excavator)/ manual means over areas (exceeding 30 cm in depth, 1.5 m in width as well as 10 sqm on plan) including getting out and disposal of excavated earth lead up to 50 m and lift up to 1.5 m, as directed by Engineer-in charge. All kinds of soil	Cum	30.00		
2	Providing and laying in position cement concrete of specified grade excluding the cost of centering and shuttering - All work up to plinth level : 1:4:8 (1 Cement : 4 coarse sand (zone-III) derived from natural sources : 8 graded stone aggregate 40 mm nominal size derived from natural sources)	Cum	2.5		
3	Brick work with common burnt clay modular bricks of class designation 7.5 in foundation and plinth in: Cement mortar 1:4 (1 cement : 4 coarse sand)	Cum	2.50		
4	12 mm cement plaster of mix : 1:6 (1 cement: 6 fine sand)	Sqm	20.00		
5	Finishing walls with water proofing cement paint of required shade: 13.44.1 New work (Two or more coats applied @ 3.84 kg/10 sqm)	Sqm	20.00		
6	Structural steel work in single section, fixed with or without connecting plate, including cutting, hoisting, fixing in position and applying a priming coat of approved steel primer all complete.	Kg	950.00		
7	Painting with synthetic enamel paint of approved brand and manufacture to give an even shade: Two or more coats on new work	Sqm	50.00		
8	Providing and fixing Chlorinated Polyvinyl Chloride (CPVC) pipes, having thermal stability for hot & cold water supply including all CPVC plain & brass threaded fittings This includes jointing of pipes & fittings with one step CPVC solvent cement, trenching, refilling & testing of joints complete as per direction of Engineer in Charge. 20 mm nominal dia Pipes	Meter	75.00		
9	Providing and fixing <b>wash basin</b> with C.I. brackets, 15 mm C.P. brass pillar taps, 32 mm C.P. brass waste of standard pattern, including painting of fittings and brackets, cutting and making good the walls wherever require:  White Vitreous China Wash basin size 630x450 mm with a pair of 15 mm C.P. brass pillar taps	Each	1		

type water closet (European type) with seat and lid, 10 litre low level white vitreous china flushing cistern & C.P. flush bend with fittings & C.I. brackets, 40 mm flush bend, overflow arrangement with specials of standard make and mosquito proof coupling of approved municipal design complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: W.C. pan with ISI marked white solid plastic seat and lid  11 Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1 cement: 4 coarse sand) including 500x450 mm precast R.C.C. horizontal grating with frame complete as per standard design: With common burnt clay F.P.S. (non - modular) bricks of class designation 7.5  12 Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 75 mm diameter. Meter 6.00  13 110 mm dia. Meter 6.00  14 Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion  15 Single tee with door 75x75x75 mm  16 110x110x110 mm gap for thermal expansion  17 Bend 87.5° 75 mm bend  18 110 mm bend
10 litre low level white vitreous china flushing cistern & C.P. flush bend with fittings & C.I. brackets, 40 mm flush bend, overflow arrangement with specials of standard make and mosquito proof coupling of approved municipal design complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: W.C. pan with ISI marked white solid plastic seat and lid  11 Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1 cement: 4 coarse sand) including 500x450 mm precast R.C.C. horizontal grating with frame complete as per standard design: With common burnt clay F.P.S. (non - modular) bricks of class designation 7.5  12 Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 75 mm diameter. Meter 6.00  13 110 mm dia. Meter 21.00  14 Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion  15 Single tee with door 75x75x75 mm  16 110x110x110 mm 1 1  17 Bend 87.5° 75 mm bend
8 C.P. flush bend with fittings & C.I. brackets, 40 mm flush bend, overflow arrangement with specials of standard make and mosquito proof coupling of approved municipal design complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: W.C. pan with ISI marked white solid plastic seat and lid  11 Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1 cement: 4 coarse sand) including 500x450 mm precast R.C.C. horizontal grating with frame complete as per standard design: With common burnt clay F.P.S. (non - modular) bricks of class designation 7.5  12 Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 75 mm diameter.  13 110 mm dia. Meter 6.00  14 Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion  15 Single tee with door 1
flush bend, overflow arrangement with specials of standard make and mosquito proof coupling of approved municipal design complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: W.C. pan with ISI marked white solid plastic seat and lid  11 Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1 cement: 4 coarse sand) including 500x450 mm precast R.C.C. horizontal grating with frame complete as per standard design: With common burnt clay F.P.S. (non - modular) bricks of class designation 7.5  12 Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 75 mm diameter.  13 110 mm dia. Meter 6.00  14 Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion  15 Single tee with door 1
standard make and mosquito proof coupling of approved municipal design complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: W.C. pan with ISI marked white solid plastic seat and lid  11 Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1 cement: 4 coarse sand) including 500x450 mm precast R.C.C. horizontal grating with frame complete as per standard design: With common burnt clay F.P.S. (non - modular) bricks of class designation 7.5  12 Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 75 mm diameter. Meter 6.00  13 110 mm dia. Meter 6.00  14 Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion  15 Single tee with door 75x75x75 mm  16 110x110x110 mm 1 1  17 Bend 87.5° 2  75 mm bend
approved municipal design complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: W.C. pan with ISI marked white solid plastic seat and lid  11 Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1 cement: 4 coarse sand) including 500x450 mm precast R.C.C. horizontal grating with frame complete as per standard design: With common burnt clay F.P.S. (non - modular) bricks of class designation 7.5  12 Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes.  75 mm diameter. Meter 6.00  13 110 mm dia. Meter 6.00  14 Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion  15 Single tee with door 75x75x75 mm  16 110x110x110 mm 1 1  17 Bend 87.5° 75 mm bend
approved municipal design complete, including painting of fittings and brackets, cutting and making good the walls and floors wherever required: W.C. pan with ISI marked white solid plastic seat and lid  11 Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1 cement: 4 coarse sand) including 500x450 mm precast R.C.C. horizontal grating with frame complete as per standard design: With common burnt clay F.P.S. (non - modular) bricks of class designation 7.5  12 Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes.  75 mm diameter. Meter 6.00  13 110 mm dia. Meter 6.00  14 Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion  15 Single tee with door 75x75x75 mm  16 110x110x110 mm 1 1  17 Bend 87.5° 75 mm bend
painting of fittings and brackets, cutting and making good the walls and floors wherever required: W.C. pan with ISI marked white solid plastic seat and lid  11 Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1 cement: 4 coarse sand) including 500x450 mm precast R.C.C. horizontal grating with frame complete as per standard design: With common burnt clay F.P.S. (non - modular) bricks of class designation 7.5  12 Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 75 mm diameter.  13 110 mm dia. Meter 6.00  14 Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion  15 Single tee with door 75x75x75 mm  16 110x110x110 mm 1 1  17 Bend 87.5° 75 mm bend
good the walls and floors wherever required: W.C. pan with ISI marked white solid plastic seat and lid  11 Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1 cement: 4 coarse sand) including 500x450 mm precast R.C.C. horizontal grating with frame complete as per standard design: With common burnt clay F.P.S. (non - modular) bricks of class designation 7.5  12 Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 75 mm diameter. Meter 6.00  13 110 mm dia. Meter 21.00  14 Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion  15 Single tee with door 75x75x75 mm  16 110x110x110 mm 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
pan with ISI marked white solid plastic seat and lid  11 Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1 cement: 4 coarse sand) including 500x450 mm precast R.C.C. horizontal grating with frame complete as per standard design: With common burnt clay F.P.S. (non - modular) bricks of class designation 7.5  12 Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 75 mm diameter.  13 110 mm dia. Meter 6.00  14 Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion  15 Single tee with door 75x75x75 mm  16 110x110x110 mm 1 1  17 Bend 87.5° 75 mm bend
11 Constructing brick masonry road gully chamber 50x45x60 cm with bricks in cement mortar 1:4 (1 cement : 4 coarse sand) including 500x450 mm precast R.C.C. horizontal grating with frame complete as per standard design : With common burnt clay F.P.S. (non - modular) bricks of class designation 7.5  12 Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes.  75 mm diameter.  13 110 mm dia.  14 Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion  15 Single tee with door 75x75x75 mm  16 110x110x110 mm  1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
50x45x60 cm with bricks in cement mortar 1:4 (1 cement : 4 coarse sand) including 500x450 mm precast R.C.C. horizontal grating with frame complete as per standard design : With common burnt clay F.P.S. (non - modular) bricks of class designation 7.5  12 Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes.  75 mm diameter.  Meter 6.00  13 110 mm dia.  Meter 21.00  14 Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS : 13592 Type A, including jointing with seal ring conforming to IS : 5382, leaving 10 mm gap for thermal expansion  15 Single tee with door 1
cast R.C.C. horizontal grating with frame complete as per standard design: With common burnt clay F.P.S. (non - modular) bricks of class designation 7.5  12 Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes.  75 mm diameter.  Meter 6.00  13 110 mm dia. Meter 21.00  14 Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion  15 Single tee with door 75x75x75 mm  16 110x110x110 mm 1 1  17 Bend 87.5° 2  75 mm bend
cast R.C.C. horizontal grating with frame complete as per standard design: With common burnt clay F.P.S. (non - modular) bricks of class designation 7.5  12 Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes.  75 mm diameter.  Meter 6.00  13 110 mm dia. Meter 21.00  14 Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion  15 Single tee with door 75x75x75 mm  16 110x110x110 mm 1 1  17 Bend 87.5° 2  75 mm bend
per standard design: With common burnt clay F.P.S. (non - modular) bricks of class designation 7.5  12 Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes.  75 mm diameter.  Meter 6.00  13 110 mm dia.  Meter 21.00  14 Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion  15 Single tee with door 75x75x75 mm  16 110x110x110 mm  1 Bend 87.5° 2
(non - modular) bricks of class designation 7.5  12 Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes.  75 mm diameter.  Meter 6.00  13 110 mm dia.  Meter 21.00  14 Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion  15 Single tee with door 75x75x75 mm  16 110x110x110 mm 1 1  17 Bend 87.5° 2  75 mm bend
Providing and fixing on wall face unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 75 mm diameter.  Meter 6.00  13 110 mm dia.  Meter 21.00  14 Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion  15 Single tee with door 75x75x75 mm  16 110x110x110 mm  1 Bend 87.5° 75 mm bend
PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 75 mm diameter.  Meter 6.00  13 110 mm dia.  Meter 21.00  14 Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion  15 Single tee with door 75x75x75 mm  16 110x110x110 mm 1 1 17 Bend 87.5° 75 mm bend
A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 75 mm diameter.  Meter 6.00  13 110 mm dia.  Meter 21.00  14 Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion  15 Single tee with door 75x75x75 mm  16 110x110x110 mm 1 1 17 Bend 87.5° 75 mm bend
5382, leaving 10 mm gap for thermal expansion, (i) Single socketed pipes. 75 mm diameter.  Meter 6.00  13 110 mm dia.  Meter 21.00  14 Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion  15 Single tee with door 1 75x75x75 mm  16 110x110x110 mm 1 1  17 Bend 87.5° 2 75 mm bend
Single socketed pipes. 75 mm diameter.  Meter 6.00  13 110 mm dia.  Meter 21.00  14 Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion  15 Single tee with door 1 75x75x75 mm  16 110x110x110 mm  1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
75 mm diameter.  13 110 mm dia.  14 Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion  15 Single tee with door 75x75x75 mm  16 110x110x110 mm  1 1 2 2 75 mm bend
14 Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion  15 Single tee with door 1 75x75x75 mm  16 110x110x110 mm 1 1  17 Bend 87.5° 2 2  75 mm bend
14 Providing and fixing on wall face unplasticised - PVC moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion  15 Single tee with door 1 75x75x75 mm  16 110x110x110 mm 1 1  17 Bend 87.5° 2 2  75 mm bend
moulded fittings/ accessories for unplasticised Rigid PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion  15 Single tee with door 75x75x75 mm  16 110x110x110 mm 1 1 17 Bend 87.5° 75 mm bend
PVC rain water pipes conforming to IS: 13592 Type A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion  15 Single tee with door 75x75x75 mm  16 110x110x110 mm 1 1 17 Bend 87.5° 75 mm bend
A, including jointing with seal ring conforming to IS: 5382, leaving 10 mm gap for thermal expansion  15 Single tee with door 75x75x75 mm  16 110x110x110 mm 1 1 17 Bend 87.5° 75 mm bend
5382, leaving 10 mm gap for thermal expansion         15       Single tee with door 75x75x75 mm       1         16       110x110x110 mm       1         17       Bend 87.5° 2       2         75 mm bend       2
75x75x75 mm       16       110x110x110 mm       1         17       Bend 87.5°       2         75 mm bend       2
75x75x75 mm       16       110x110x110 mm       1         17       Bend 87.5°       2         75 mm bend       2
16     110x110x110 mm     1       17     Bend 87.5°     2       75 mm bend     2
17 Bend 87.5° 2 75 mm bend
75 mm bend
18 110 mm bend 2
19 Providing and fixing 100 mm sand cast Iron grating 2
for gully trap.
20 Providing and fixing PVC. trap P type 110x110 mm 1
21 Providing and fixing P.V.C. waste pipe for sink or Each 1
wash basin including P.V.C. waste fittings complete.
Flexible pipe . 32 mm dia.
22 Providing and fixing C.P. <b>brass angle valve</b> for basin Each 4
mixer and geyser points of approved quality
conforming to IS:8931
15mm nominal bore
23 Providing and fixing PTMT <b>angle stop cock</b> 15 mm Each 1
nominal bore, weighing not less than 85 gms
24 Providing and fixing C.P. brass <b>long nose bib cock</b> of Each 1

				r	_
	approved quality conforming to IS standards and weighing not less than 810 gms. 15 mm nominal bore				
25	Providing and fixing PTMT <b>soap Dish Holder</b> having length of 138mm, breadth 102mm, height of 75mm	Each	1		
	with concealed fitting arrangements, weighing not less than 106 gms.				
26	Providing and fixing uplasticised PVC <b>connection</b>	Each	2		
	<ul><li>pipe with brass unions</li><li>45 cm length 15 mm nominal bore</li></ul>				
27	Providing and fixing PTMT grating of approved	Each	2		
20	quality and colour. Circular type 100 mm nominal dia	Tl-	1		
28	Providing and fixing <b>mirror of superior glass</b> (of approved quality) and of required shape and size	Each	1		
	with plastic moulded frame of approved make and				
	shade with 6 mm thick hard board backing				
	Rectangular shape 453x357 mm				
29	Providing and fixing 600x120x5 mm glass shelf with	Each	1		
	edges round off, supported on anodised aluminium angle frame with C.P. brass brackets and guard rail				
	complete fixed with 40 mm long screws, rawl plugs				
	etc., complete.				
30	Providing and fixing <b>toilet paper holder</b> : C.P. brass	Each	1		
31	Providing and fixing <b>PTMT towel rail</b> complete with	Each	1		
	brackets fixed to wooden cleats with CP brass screws				
	with concealed fittings arrangement of approved				
	quality and colour. 600 mm long towel rail with total length of 645 mm, width 78 mm and effective height				
	of 88 mm, weighing not less than 190 gms.				
32	Providing and fixing 8 mm dia C.P. / S.S. Jet with	Each	1		
	flexible tube upto 1 metre long with S.S. triangular				
	plate to Eureopean type W.C. of quality and make as				
- 22	approved by Engineer - in - charge.	- 1	-		
33	Cutting holes up to 30x30 cm in walls including making good the same: With common burnt clay	Each	1		
	F.P.S. (non - modular) bricks				
34	Providing and fixing Ist quality ceramic <b>glazed wall</b>	Sqm	16.00		
	tiles conforming to IS: 15622 (thickness to be				
	specified by the manufacturer), of approved make, in				
	all colours, shades except burgundy, bottle green,				
	black of any size as approved by Engineer-in-Charge,				
	in skirting, risers of steps and dados, over 12 mm thick bed of cement mortar 1:3 (1 cement : 3 coarse				
	sand) and jointing with grey cement slurry @ 3.3kg				
	per sqm, including pointing in white cement mixed				
	with pigment of matching shade complete.				
35	Providing and laying Ceramic glazed floor tiles of	Sqm	5.80		
1	size 300x300 mm (thickness to be specified by the				

36	manufacturer), of 1st quality conforming to IS: 15622, of approved make, in all colours, shades, except White, Ivory, Grey, Fume Red Brown, laid on 20 mm thick bed of cement mortar 1:4 (1 Cement: 4 Coarse sand), jointing with grey cement slurry @ 3.3 kg/ sq.m including pointing the joints with white cement and matching pigments etc., complete.  Providing and fixing to existing door frames.  30 mm thick factory made Polyvinyl Chloride (PVC) door shutter made of styles and rails of a uPVC hollow section of size 60x30 mm and wall thickness 2 mm (± 0.2 mm), with inbuilt decorative moulding edging on one side. The styles and rails mitred and joint at the corners by means of M.S. galvanised/ plastic brackets of size 75x220 mm having wall thickness 1.0 mm and stainless steel screws. The styles of the shutter reinforced by inserting galvanised M.S. tube of size 25x20 mm and 1 mm (± 0.1 mm) wall thickness. The lock rail made up of 'H' section, a uPVC hollow section of size 100x30 mm and 2 mm (± 0.2 mm) wall thickness fixed to the shutter styles by means of plastic/ galvanised M.S. 'U' cleats. The shutter frame filled with a uPVC multichambered single panel of size not less than 620 mm, having over all thickness of 20 mm and 1 mm (± 0.1 mm) wall thickness. The panels filled vertically and tie bar at two places by inserting horizontally 6 mm galvanised M.S. rod and fastened with nuts and washers, complete as per manufacturer's specification and direction of Engineer-in-charge.	Sqm	2.00	
37	Providing and fixing 20mm CPVC ball valve.	EACH	2	
	Total amount			

<sup>1.</sup> All charges shall include the cost of Labour, material, taxes, GST and other incidentals. Nothing extra shall be paid beyond the BOQ rate.

<sup>2.</sup> The work should be executed as per CPWD / IS Specification.

<sup>3.</sup> The work will be done according to the direction of Engineer in charge