

Notice Inviting Tender

Sealed quotations are invited from eligible, approved and experienced Civil Contractors for the works "**Providing false ceiling with LED lights to the Computer lab (Lab-16) at 3rd floor of new R&D building.**

"at the Institute of Life Sciences, Nalco square, and Bhubaneswar. The quotation papers are available in the website of the Institute at www.ils.res.in/www.tender.gov.in Interested Contractors may download the quotation papers, complete the same and send the same to the undersigned as so to reach the undersigned on or before **15 /02 / 2016 , up to 3.00 PM.** The quotations will be opened on **the same day at 3.30 P.M.** in presence of the intending bidders or their authorized representatives. Quotations received after due date & time will not be entertained. Institute is not responsible for any postal delay. Incomplete or conditional quotation is liable for rejection. The authority reserves the right to reject any or all the quotations without assigning any reasons thereof.

Terms and conditions:

1. The work will be executed based on the specification as stated in the tender document.
2. The contactors who are interested to participate in the tender shall furnish Xerox copies of their Registration **Nos. / Trade License No., Tin No. & pan card.**
3. They must have successfully executed at least one similar work of single order value not less than Rs.90, 000 /- for work during the last 3 years. Documentary proof (copy of W.O) must be submitted.
4. The work should be started immediately after issue of work order and should be completed within one month from the date of issue of work order. Otherwise, penalty @ 1% of tender value will be charged to the Contractor per week of delay.
5. No extension of time will be allowed, if the above work is not completed within the stipulated time. ILS reserves the right to get it completed through any other source without sending any intimation to the contractor.
6. After completion of the work the Contractor shall clean the site and remove debris from the site to outside of ILS.
7. The Contractor shall abide by the laws of the land for payments to labourers etc.
8. The work shall be executed based on the design approved by ILS.
9. The payment shall be made as per the actual measurement of the work done confirming to specification and design.
10. Income Tax, Sales Tax, etc. shall be deducted from the payment to be made to the Contractor as per the existing law.
11. The court situated at Bhubaneswar shall have jurisdiction to decide any dispute or litigation, if arises in future beyond the above mentioned rules & regulations.

Copy to:

1) Notice board, ILS

Administrative Officer

2) Finance & Accounts Dept.

3) Mr. S .S.Mohanty, for publication in the website of www.ils.res.in/www.tender.gov.in

Name of the Work: - Providing false ceiling with LED lights to the Computer lab (Lab-16) at 3rd floor of new R&D building

<u>Sl no</u>	<u>Description Of Items</u>	<u>Unit</u>	<u>Quantity</u>	<u>Rate</u>	<u>Total Amount</u>
1	Providing and applying plaster of Paris putty of 2 mm thickness over plastered surface to prepare the surface even and smooth complete.	Sqm	15.00		
2	Applying one coat of water thinnable cement primer of approved brand and manufacture on wall surface :Water thinnable cement primer	Sqm	75.00		
3	Wall painting with acrylic emulsion paint of approved brand and manufacture to give an even shade : Two or more coats on new work	Sqm	75.00		
4	fixing of frame work made of special sections, power pressed from M.S. sheets and galvanized with zinc coating of 120 gms/sqm (both side inclusive) as per IS : 277 and consisting of angle cleats of size 25 mm	Sqm	75.00		

wide x 1.6 mm thick with flanges of 27 mm and 37mm, at 1200 mm center to center, one flange fixed to the ceiling with dash fastener 12.5 mm dia x 50mm long with 6mm dia bolts, other flange of cleat fixed to the angle hangers of 25x10x0.50 mm of required length with nuts & bolts of required size and other end of angle hanger fixed with intermediate G.I. channels 45x15x0.9 mm running at the spacing of 1200 mm center to Centre, to which the ceiling section 0.5 mm thick bottom wedge of 80 mm with tapered flanges of 26 mm each having lips of 10.5 mm, at 450 mm Centre to Centre, shall be fixed in a direction perpendicular to G.I. intermediate channel with connecting clips made out of 2.64 mm dia x 230 mm long G.I. wire at every junction, including fixing perimeter channels 0.5 mm thick 27 mm high having flanges of 20 mm and 30 mm long, the perimeter of ceiling fixed to wall/partition with the help of rawl plugs at 450 mm centre, with 25mm long dry wall screws @ 230 mm interval, including fixing of gypsum board to ceiling section and perimeter channel with the help of dry wall screws of size 3.5 x 25 mm at 230 mm c/c, including jointing and finishing to a flush finish of tapered and square edges of the board with recommended jointing compound , jointing tapes , finishing with jointing compound in 3 layers covering upto 150 mm on both sides of joint and two coats of primer suitable for board, all as per manufacturer's specification and also including the cost of making openings for light fittings, grills, diffusers, cutouts made with frame of perimeter channels suitably fixed, all complete as per drawings, specification and direction of the Engineer in Charge but excluding the cost of painting with :

12.5 mm thick tapered edge gypsum plain board conforming to IS: 2095- Part I

5	Fixing of cornice around the wall with 100 mm breadth.	Rmt.	55.00
6	Installation, testing and commissioning of pre-wired, LED light fitting of all types, complete with all accessories and tube etc. directly on ceiling/ wall, including connection with 1.5 sq. mm FR PVC insulated, copper conductor, single core cable and earthing etc. as required. LED light: 20-30 Watt, Square cool white.AC-230V, 50Hz, Philips / Bajaj / Great white / Syska etc. best quality. (Warranty for 2 years)	Each	20

Total Amount

1. All charges shall include the cost of Labour, material, taxes and other incidentals. Nothing extra shall be paid beyond the agreement rate.
2. The work should be executed as per CPWD / IS Specification.
3. The work will be done according to the direction of Engineer in charge.